



ABS Cover Installation Instruction Sheet

Please Read Carefully

Our ABS cover is designed to fit over the stock ABS system. If you have altered this area in any way then it is your responsibility to do a test fitment to confirm it will fit.

Every model and year will have some little differences therefore we **strongly recommend that prior to prep and paint you install your ABS cover and do a test fitment first.**

Make sure it fits correctly and there no interferences.

Be sure that you have proper clearance on the top, back, sides and bottom and nothing is rubbing.

Note: If you have ordered your ABS cover with a cut-out and are planning on using the 3G provided metal backer plate then please refer to the "3G Backer Plates Installation Instruction Sheet" in our download center for it's proper installation.


Installing the Cover

To install the ABS cover, first remove the windshield washer reservoir fill lid, next position the cover over the ABS equipment in the front of the engine compartment on the passenger's side as shown in (figure "A").


Note: There is a ground just above and right of the fuse box. The wires coming off if not in the 2-3 o'clock position will cause the ABS cover to be raised in the back. Typically the wires are found in the 7-9 o'clock position.



Secure the ABS cover by installing the (2) provided #6 self tapping screws into the Fusebox as shown in (figure "B") tighten snug but do not over tighten.



For vehicles equipped with the 3.6 Pentastar engine the (2) Mounting screws are not required as shown in (figure "B"). Use the existing factory extended nut as shown in (figure "C"). Remove the factory extended nut place the ABS cover into position and secure it by replacing the factory extended nut.



If all looks well and you are happy with the fit and position then you are ready to remove the cover and apply its final finish and then re-install.

The following was included in the shipping container

- (1) 3GCUSTOMZ ABS Cover
- (2) #6 x 3/8" Self Tapping Sheet Metal screws
- (1) Instruction/installation sheet

Note: If you have ordered your ABS cover with a cut-out and are planning on using the 3G provided metal backer plate then please refer to the "3G Backer Plates Installation Instruction Sheet" in our download center for it's proper installation.